Certificate No: LR26355965TA
Issue Date: 27/04/2026
Expiry Date: 26/04/2031

# Type Approval Certificate

This is to certify that the undernoted product(s) has/have been tested with satisfactory results in accordance with the relevant requirements of the Lloyd's Register Type Approval System.

| | |
|---|---|
| **Manufacturer** | **KURBO Co.,Ltd** |
| **Address** | 130 Noksansaneopjung-ro Gangseo-gu, Gangseo-gu, Busan, 46752, South Korea |
| **Place of Production** | KURBO Co.,Ltd<br>130 Noksansaneopjung-ro Gangseo-gu, Gangseo-gu, Busan, 46752, South Korea |
| **Type** | Metal Expansion Joint |
| **Description** | Metallic Bellows Type Expansion Joints |
| **Trade Name** | SEJ-S (Single ply bellows),SEJ-M (Multi ply bellows) |
| **Application** | Marine Piping Systems:-<br>Exhaust gas, Steam system (SEJ-S type)<br>Fresh water, fuel oil & lubricating oil, steam (SEJ-M type) |
| **Specified Standard** | Lloyd's Register (LR) Rules and regulations for the Classification of Ships<br>Standards of the Expansion Joint Manufactures Association Inc. |
| **Ratings** | **SEJ-S Type**<br>Construction details : 1 ply, unreinforced |

Downloaded Copy

Units 1702-1704, 17th Floor (Level-13), Building Q2, Aurum Q Parc; Gen 4/1 TTC, Thane-Belapur Road, Ghansoli, Navi Mumbai, 400710, India

**Mandar Ojale**

Engineering Piping - Specialist to Lloyd's Register Marine and Offshore India LLP
A member of the Lloyd's Register group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

# Type Approval Certificate

| | |
|---|---|
| Nominal pipe diameters | : 50A to 1,300A |
| Design pressure | : 2 bar |
| Max. allowable temperature | : 550°C (for exhaust gas)<br>220°C (for steam, for 50A to 1200A) |
| Convolution pitch/height (mm) | : 12/12~44/44 |

**SEJ-M Type**

| | |
|---|---|
| Construction details | : 2 plies, unreinforced |
| Nominal pipe diameters | : 200A to 450A |
| Design pressure | : 5 bar |
| Max. allowable temperature | : 150°C (for fuel oil & lub. oil)<br>200 °C (for fresh water)<br>220°C (for stream) |
| Convolution pitch/height (mm) | : 22/22~31/31 |

**Other Conditions**

1) Where expansion joints are used in Class I and II piping system tested by hydraulic pressure and installed on board, to the attending Surveyor's satisfaction.
2) The manufacture's material certificates for expansion joints in Class I and II piping systems are acceptable in lieu of LR's material certificates where conditions are less than shown in table 12.1.2 as per Part 5, Chapter12, Section 1.6.2 of the Ship Rules.
3) The manufacture's material certificates for the materials & hydraulic tests of expansion joints in Class III piping systems are acceptable in lieu of LR's test certificate.
4) Welding and non-destructive testing are to be in accordance with Part 5, Chapter 17 of the Rules, to the attending surveyor's satisfaction.
5) Expansion joints are to be protected against overextension and compression. The adjoining pipes are to be suitably aligned, supported, guided and anchored. Where necessary, expansion bellows are to be protected against mechanical damage.

Downloaded Copy

Units 1702-1704, 17th Floor (Level-13), Building Q2, Aurum Q Parc; Gen 4/1 TTC, Thane-Belapur Road, Ghansoli, Navi Mumbai, 400710, India

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Certificate No: LR26355965TA
Issue Date: 27/04/2026
Expiry Date: 26/04/2031

# Type Approval Certificate

This certificate is not valid for equipment, the design, ratings or operating parameters of which have been varied from the specimen tested. The manufacturer should notify Lloyd's Register Marine and Offshore India LLP of any modification or changes to the equipment in order to obtain a valid Certificate.

**Previous Version:** LR21234950TA

The Design Appraisal Document LR21234950TA_DAD and its supplementary Type Approval Terms and Conditions form part of this Certificate.

Downloaded Copy

Units 1702-1704, 17th Floor (Level-13), Building Q2, Aurum Q Parc; Gen 4/1 TTC, Thane-Belapur Road, Ghansoli, Navi Mumbai, 400710, India

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.