Certificate No: LR26432517AS
Issue Date: 03/09/2026
Expiry Date: 02/09/2029

Lloyd's Register Approved Service Supplier

Supplier **Triton Marine Service Co., Ltd.**

Address Room 305,3rd Floor,Haosen Wood Industry, Office Building, South of No.1 Road, North of No.21 Road, East of No.12 Road, Tangshan Haigang Development Zone, Tangshan, 063000, China

Contact Details Email: hr@triton-ship.com

Contact Number Tel: +86 18753587857

The above company having been assessed hereby receives approval in accordance with the requirements of Lloyd's Register Procedures for Approval of Service Suppliers as Supplier from the address(es) listed above for the provision of

Inspections And Maintenance Of Fire-Extinguishing Equipment And Systems
Portable and non-portable fire extinguishers Fixed fire extinguishing system, Fixed local water mist fire extinguishing system Smoke extraction system

Service Of Immersion Suits, Thermal Protective Aids, And Chemical Protective Clothing
Service (except repair) all types of immersion suits used on board Lloyd's Register classed ships unless specific authorisation required by Manufacturer or Administration.

Servicing Of Inflatable Liferafts, Inflatable Lifejackets, Hydrostatic Release Units, Marine Evacuation Systems
Service equipment manufactured by: 1. Shanghai Star Rubber Products Co., Ltd.: -RAFT-A-6/10/15/16/20/25(II) RAFT-D-12/16/20/25 SMLR-A-6/10/15/16/20/25/32 SMLR-D-12/16/20/25/32 STAR-A-6/10/15/16/20/25 STAR-D-12/16/20/25/32

Downloaded Copy

Hai Tao Tian

Lead Surveyor to Lloyd's Register
Classification Society (China) Co., Ltd.
A member of the Lloyd's Register group

Room 02-05, 48F, Raffles City Shanghai Office Tower, No.268 Xi Zang Middle Road, Huangpu District, Shanghai, 200001, China

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Servicing Of Inflatable Liferafts, Inflatable Lifejackets, Hydrostatic Release Units, Marine Evacuation Systems
STAR-SR-6/10/15/16/20/25/32/37 STAR-DSR-16/20/25/32/37 RAFT-SR-6/10/15/16/20/25/32/37/50 RAFT-DSR-15/16/20/25/32/37(II) RAFT-R-6/15/25/50/65 2. Shanghai Cunhong Marine Lifesaving Appliance Co., Ltd.: CHF/DLR-A/D/Z/K-6,8, 10, 12, 15, 16,20,25,30,50,65 3. Shanghai Huaxiang Dacheng Rubber & Plastics Co., Ltd.: Service for inflatable liferaft with HYF brand , type of HYF/SDR& QJF series 4. Shanghai Haian Lifesaving Equipment Co., Ltd.: HAF-A6/10/12/15/16/20/25/30 HAF-D15/16/20/25 HAF-ASR6/10/12/15/16/20/25/30/37/50/65 HAF-ASR6(II)/10(II)/12(II)/15(II)/16(II)/20(II)/25(II) HAF-DSR15/16/20/25/30/35/37 HAF-K20/25/30/35/50/65/100 5. Shanghai Youlong Rubber Products Co., Ltd.: KHA-6/ 8/10/12/15/16/20/25/30/35 KHA-6/8/10/12/15/16/ 20/25/30/35 (II) KHZ-6/10/15/20/25/30/35/50/65 KHD-12/15/16/20/25/30/35 KHZD-15/16/20/25/30/35/37 KHR-6/10/25/30/50/65 KHK-6/10/25/30/50/65 KHY-4/6/8/10/12 6. JIANGSU HAINING MARINE EQUIPMENT CO.,LTD: HNF-A6/8/10/12/15/16/20/25 HNF-B10/12/15/20/25 HNF-CR25 HNF-D15/16/20/25 HNF-DSR12/15/16/20/25

Downloaded Copy

Room 02-05, 48F, Raffles City Shanghai Office Tower, No.268 Xi Zang Middle Road, Huangpu District, Shanghai, 200001, China

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Servicing Of Inflatable Liferafts, Inflatable Lifejackets, Hydrostatic Release Units, Marine Evacuation Systems
HNF-HSC6/8/10/15/25 HNF-SR6/8/10/12/15/16/20/25 7. NINGBO HAIFENG LIFE-SAVINC APPLIANCE MANUFACTURING CO., LTD: CRVF - A, CRVF - Z ,CRVF - D,CRVF - DZ,CRVF - U,CRVF - K,QJF - Y,YJ 8. Ningbo Neptune life-saving equipment Co., Ltd.: AOR/ATOB/ATOB-(II)/ADLSR/SR/ASR/ASR-(II)/YT/YJT/ADL Life Raft Capacities ≤25 Persons SEA-AIR HRU Hydrostatic Release Unit: QJH-A ,QJH-B 9. YANTAI HUAYANG LIFESAVING EQUIPMENT MANUFACTURING CO., LTD.: HYF-A: 6/8/10/12/15/16/20/25/30/35/36/37 HYA: 6/8/10/12/15/16/20/25/30/35 HYF-D: 10/12/15/16/20/25 HYD: 10/12/15/16/20/25 HYF-U(I): 4/6/8/10/12 HYF-U(II): 4/6/8/10 HYF-Z: 6/10/12/15/16/20/25/30/35/37/50/65 HYF-K: 6/10/15/20/25/30/35/50/65 HYF-Y: 6/8/10/12/15/20/25 HY-Y: 6/8/10/12/15/20/25 HYF-YJ: 6/8/10 HY-YJ: 6/8/10

Inspections And Maintenance Of Self-Contained Breathing Apparatus
Service all types of self-contained breathing apparatus used on board Lloyd's Register classed ships unless specific authorisation required by Manufacturer or Administration.

Downloaded Copy

Room 02-05, 48F, Raffles City Shanghai Office Tower, No.268 Xi Zang Middle Road, Huangpu District, Shanghai, 200001, China

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Hydraulic Tests Of Low And High Pressure Cylinders
Hydraulic test and charging of high pressure cylinders with working pressure not more than 30MPa.

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
Service Supplier's personnel are certified in accordance with manufacturers' established certification programme. The service supplier is authorised to work on the makes and types shown in the below: 1. Wuxi Haidelong Marine Equipment Co., Ltd. launching appliance for free fall lifeboats: HDL70FA MED/1.23 winch for survival craft and rescue boats: HDL7OFA(winch) MED/1.41 Launching appliances for free-fall lifeboats: HDLZ0720 MED/1.23 Winches for survival craft and rescue boats:(b)free-fall lifeboats: HDLZ0720(winch) MED/1.41b Launching appliances using falls(davit) Liferaft launching appliances (davit) HDL415(davit) MED/1.21&1.24 Winches for survival craft and rescue boats(winch) HDL415(winch) MED/1.41 Launching appliances using falls(davits) Liferaft launching appliances(davit) SA23 (davit) MED/1.21&1.24 Winches for survival craft and rescue boats liferafts &rescue boats SA23(winch) MED/1.41(c),(d) Launching appliances for rescue boat &liferaft HDLD21 MED/1.24 Winches for survival craft and rescue boats life rafts Winches for survival craft and rescue boats rescue boats HDLW21 MED/1.41 2. SHEYANG SAIFUTE MARINE AUXILIARY MACHINERY PLANT JIANGSU TYPE OF DAVITS (1) Gravity luffing arm davit: 14KN/25KN/50KN/60KN/90KN/100KN/120KN (Gravity sliding track davit):15KN/40KN (Cross deck gravity sliding track davit):30KN/110KN (Platform davit):48KN/110KN.

Downloaded copy

Room 02-05, 48F, Raffles City Shanghai Office Tower, No.268 Xi Zang Middle Road, Huangpu District, Shanghai, 200001, China

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
(Free fall lifeboat launching appliance):55KN/70KN TYPE OF LAUNCHING APPLIANCES: (Single arm rescue davit): 10KN/14KN/SFTSA10DS (Single arm rescue boat/raft launching appliances): 21KN/25KN/30KN/40KN (Lift-raft launching appliance): 15KN/21KN/25KN/35KN (Single arm rescue boat/raft launching appliances &Provisions crane):21KN (Hydraulic slewing boat-raft davit): SFT-14KN/FCD3T*10M/25KN*10M (rescue boat davit): SFT-AFR25/AR32 ELECTRODYNAMC LIFEBOAT/RESCUE BOAT WINCH (1). Ele.rescue boat winch: 14KN/25KN/40KN/D50Z/63KN/E100R/D100Z (2). Ele. Lifeboat winch: 25KN/40KN/D50S/63KN/E70L/D100S/E100L 3. Wuxi Hai Hong Boat Making Co., Ltd. Totally enclosed life / rescue boat series: HH70C / HH70T(QFP7.0/QFN7.0), HH85CS/HH85TS(QFP8.5/QFN8.5), HH65CS / HH65TS(QFP6.5/QFN6.5), HH75CS / HH75TS(QFP7.5/QFN7.5), HH80CS / HH80TS(QFP8.0/QFN8.0), HH65C / HH65T(QFP(H)6.5/QFN(H)6.5), HH50C / HH50T, HH53C / HH53T(QFP(H)5.3), HH75C(QFP(H)7.5), HH85C / HH85T, HH57C / HH57T; Freefall Lifeboat Series: HH59FC / HH59FF, HH76FC / HH76FF; Rescue Boat Series: GJ4.5B / GJ4.5B1; High Speed Rescue Boat Series: GJ618A/ GJ618B; Release Gear Series: HH76 / HH43 / HH30 / HH20

Downloaded Copy

Room 02-05, 48F, Raffles City Shanghai Office Tower, No.268 Xi Zang Middle Road, Huangpu District, Shanghai, 200001, China

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
4. Wuxi Mingzi Machinery Manufacturing Co., Ltd Lifeboat Hook Release Mechanism:HK40 Lifeboat Hook Release Mechanism:WHK40 Lifeboat Hook Release Mechanism:WHK65 Davit-launched Rescue Boat Manual Release Hook:15KN(150-T) Davit-launched Life Raft Automatic Release Hook:21-25KN （250-T） Life Raft /Rescue Boat Manual/Automatic Release Hook:31-37KN(370-T) 5. SheYang Victor Marine Auxiliaries Co., Ltd Electric lifeboat/ rescue boat winch: WLT/DZA14,WLT/DSA25,WLT/DZA25, WLT/DS.Z36,WLT/DSA40,WLT/DZA40, WLT/DS.Z48,WLT/DS/ZA50,WLT/DS.Z55, WLT/DZA70(P),WLT/DS.Z70,WLT/DSZ90, WLT/DS/ZA100,WLT/DS/ZA110(p) Gravity Luffing Arm Type Davit: WLT/LA25,WLT/AS33,WLT/LA40,WLT/LZA50,WLT/LA50,WLT/LA56,WLT/R60,WLT/LA60, WLT/LA70,WLT/LA90,WLT/LA100,WLT/AS110,WLT/LA120 A Type Davit: WLT/LR36 Platform Type Davit: WLT/PL55,WLT/PL90,WLT/PL110 Freefall Launching Appliance: WLT/FH55,WLT/FH70 Manual crane: WLT/SQ21-2 Single Arm boat/raft & provision davit: WLT/SA21/15 Hydraulic Gravity Luffing Arm Type Davit: WLT/SA25 Boat/raft davit &luffing crane: WLT/SA21,WLT/ESC23-6m Multifunctional hydraulic telescopic slewing crane: WLT/YESC3t Hydraulic crane and boat/raft landing device:SWLTA21-3t-6m 6. WUXI XINGSHENG GEAR CASE FACTORY Annual thorough examinations and operation test (Par,4.2) Five-yearly thorough examination overhaul, repair and operation testPar.4.3) Type of release hook: (XS15)15KN,(XS21)21KN,(XS23)23KN,(XS25)25KN,(XS35)35KN

Downloaded Copy

Room 02-05, 48F, Raffles City Shanghai Office Tower, No.268 Xi Zang Middle Road, Huangpu District, Shanghai, 200001, China

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Certificate No: LR26432517AS
Issue Date: 03/09/2026
Expiry Date: 02/09/2029

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear

7. Qingdao Beihai Boatbuilding CO.,LTD
annual thorough examination, operational tests, five-year thorough examination, any overhaul and over load operational tests.
Lifeboat
Total enclosed: BH-5,5A,5S,5SA,E500,E585,6,6A,6S,E670,7A,7B,8.
Freefall: BH-F6.0,F7.0A,F7.8,F8.1,F5.8,F6.8,F660,F670,F750,F900A
Rescue: BH-R4,R4S,R4SA,R5S
Davit
Gravity Pivot: BD-PV50,PV60,PV60S,PV85,PV125
Freefall launching: BD-FF55,55A,55R,FF80,80A,80R,80B,FF65/66/67/85
Single arm: BD-SA14,14A,14B,SA21,21A,SA23,SA30,30A,SA33,SH23
Winch: BW-H(L/R)31S,50,63,75;L(L/R)75,125;SC14;21,30,YSB series
Release Mechanism
Gravity lifeboat: BG-3,3R,3L,BG-7;BH-HOOK3,HOOK5,FS5,FS7
Freefall lifeboat: BG-3F,3.5F,4F,4.5F,4.5FL,5F,6F
Rescue boat: BG-2R,WUXI XINGSHENG 15,21,23,25,35KN HOOK

This Service Supplier has been approved to service the equipment in accordance with IMO Resolution MSC.402(96), as amended.

Service engineers are to be provided with a valid Certificate, issued by this Approved Service Supplier, which defines their level of qualification and the scope of the certification (i.e. makes and types of equipment and specifically state which activities (e.g. annual thorough examination and operational tests; 5-year thorough examination, overhaul; overload operational tests; repairs) are covered by the certification). This Certificate should be made available when requested.

This approval is conditional upon the Supplier maintaining the documented scheme as audited by any member of the Lloyd's Register Group and hereby approved; and notifying Lloyd's Register in writing of any change to that scheme including any change in personnel, equipment or procedures. This certificate is issued to the Supplier and, subject to the Supplier complying with the necessary conditions, is valid to the date referred to above.

Downloaded Copy

Room 02-05, 48F, Raffles City Shanghai Office Tower, No.268 Xi Zang Middle Road, Huangpu District, Shanghai, 200001, China

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.