Certificate No: LR26272750NMR
Issue Date: 04/06/2024
Expiry Date: 03/06/2029

Certificate of Approval of a Polyester Resin

Manufacturer	**NCS South Africa (Pty) Ltd.**
Address	P.O Box 392, Pinetown, 3600, South Africa
Product	**DEXA™RES**
Type	Orthophthalic Polyester Resin
Resin	**DEXA™RES** 2035 PAS LSE
Application	Laminating resin
Characteristics	Pre-accelerated, thixotropic, low styrene emission
Applicable LR Rules	Lloyd's Register Rules for the Manufacture, Testing and Certification of Materials

Approved Variants	**DEXA™RES** 2035 PAW LSE	Winter version of DEXA™RES 2035 PAS LSE
	DEXA™RES 2035 PAS LSE LV	Low viscosity version of DEXA™RES 2035 PAS LSE
	DEXA™RES 2035 PAW LSE HV	High viscosity version of DEXA™RES 2035 PAS LSE
	DEXA™RES 2035 PIGMENTED	Pigmented version of DEXA™RES 2035 PAS LSE
	DEXA™RES 2055 PAW LSE	Longer geltime Winter version of DEXA™RES 2035 PAS LSE
	DEXA™RES 2070 PAS LSE	Longer geltime version of DEXA™RES 2035 PAS LSE
	DEXA™RES 2070 PAW LSE	Longer geltime Winter version of DEXA™RES 2035 PAS LSE

Downloaded Copy

Raj Muthuraj

Specialist Non-Metallics to Lloyd's Register EMEA
A member of the Lloyd's Register group

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Certificate No: LR26272750NMR
Issue Date: 04/06/2024
Expiry Date: 03/06/2029

Certificate of Approval of a Polyester Resin

DEXA™RES 2080 PAW LSE Longer geltime Winter version of DEXA™RES 2035 PAS LSE
DEXA™RES 2080 PAS LSE Longer geltime version of DEXA™RES 2035 PAS LSE
DEXA™RES 2080 PAS LSE HT Longer geltime, higher thixotropic version of DEXA™RES 2035 PAS LSE
DEXA™RES 2080 PAW LSE HT Longer geltime, higher thixotropic Winter version ofDEXA™RES 2035 PAS LSE
DEXA™RES 2120 PAS LSE Longer geltime version of DEXA™RES 2035 PAS LSE

This certificate is issued to the manufacturer named above. The resin described has been examined in accordance with the requirements of Lloyd's Register and is approved for use in constructions built under Lloyd's Register survey.

This approval is subject to Lloyd's Register being informed of any changes in or modifications to the resin being used in accordance with the manufacturer's instructions and the relevant requirements of Lloyd's Registers Rules and Regulations.

Downloaded Copy

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.