Certificate No: LR26434183AS
Issue Date: 27/08/2026
Expiry Date: 15/08/2029

Lloyd's Register Approved Service Supplier

Supplier **SHANGHAI ELIHU MARINE SERVICE CO.,LTD**

Address No.3878, Yanqian Road, Fengxian District, Shanghai, 201414, China

Contact Details Email: info@elihu-marine.com

Contact Number Tel: + 86 13918924859

The above company having been assessed hereby receives approval in accordance with the requirements of Lloyd's Register Procedures for Approval of Service Suppliers as Supplier from the address(es) listed above for the provision of

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear. Manufacturer: 1. ORIENTAL INSPECTION & SERVICE CO., LTD HINGED GRAVITY TYPE DAVIT & WINCH: DAVIT: HGD SERIES, HGK SERIES, SHS SERIES, RTD SERIES, DHA SERIES, DMA SERIES WINCH: BWE SERIES, SWE SERIES, WL SERIES FREE FALL DAVIT & DAVIT: FD SERIES, WL SERIES; RESCUE / LIFERAFT DAVIT & WINCH: RD SERIES, ROW SERIES; 2. Wuxi Huahai Marine Equipment Co., Ltd Gravity Luffing Arm Davit: HML60; HML85; HMD60; Free-fall Lifeboat Launching Appliance: HMD55F / HMD70F; Rescue boat / Liferaft Launching Appliance (Manual, Electrical and Electrical hydraulic): 21kN / 25kN / 32kN; Rescue Boat Launching Appliance: HMD14A; HMD30A; HMD30A2; Electrical Boat Winch: HMW21; HMW25; HMW50; HMW75; HMW100; HMW110; HMW140; HMW185; 3. Wuxi Hai Hong Boat Making Co., LTD 1) Totally enclosed life / rescue boat series • HH70C / HH70T (QFP7.0/QFN7.0

Downloaded Copy

Room 02-05, 48F, Raffles City Shanghai Office Tower, No.268 Xi Zang Middle Road, Huangpu District, Shanghai, 200001, China

Bob Yang

Lead Surveyor to Lloyd's Register
Classification Society (China) Co., Ltd.
A member of the Lloyd's Register group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
• HH85CS/HH85TS (QFP8.5/QFN8.5 • HH65CS/ HH65TS (QFP6.5/QFN6.5 • HH75CS / HH75TS(QFP7.5/QFN7.5) • HH80CS / HH80TS (QFP8.0/QFN8.0 • HH65C / HH65T(QFP(H)6.5/QFN(H)6.5 • HH50C / HH50T, HH53C / HH53T(QFP(H)5.3) • HH75C(QFP(H)7.5), HH85C / HH85T, HH57C / HH57T 2) Freefall Lifeboat Series: HH59FC / HH59FF, HH76FC / HH76FF; 3) Rescue Boat Series: GJ4.5B/ GJ4.5B1 4) High Speed Rescue Boat Series: GJ618A/ GJ618B 5) Release Gear Series: HH76 I HH43 / HH30 / HH20 4. JIANGYIN WOLONG F.R.P BOAT Co., LTD Totally Enclosed Lifeboat: JY50C/F, JY50CA/FA, JY57C/F, JY60C/E/F, JY65C/F, JY70C/F, JY80C/F, JY80CA/FA JY85C/F, JY85CA/FA, JY85CB/FB, JY93C/F, JY102/F, JY117C/F Free-fall Lifeboat: JY49CF/FF, JY59CF/FF, JY67CF/FF, JY85CF/FF, JY109CF/FF Rescue Boat: JY40KR, JY42KR, JY45DR, JY45KR, JY50R, JY54KR, JY60KR, JY65KR, JY65KR, JY75KR, JY85KR Partially Enclosed Lifeboat: JY70P, JY80P, JY85P Open Type Lifeboat: JY45KR, JY55K, JY65K, JY70K, JY75K, JY80K, JY85K Gravity Luffing Arm Type Davit: JY-LE14, JY-LE65, JY-LE85, JY-LE100, JY-LE150: Launching Appliance of Free-Fall Lifeboat: JY-FH55, JY-FH70, JY-FH90, JY-FH155; Platform Davit: JY-PL70, JY-PL110, JY-PL150, JY-PL185, JY-PL215 Single Arm Boat/Raft Davit: JY-SAF21, JY-SAF23, JY-SA23S, JY-SA37S, JY-SR33L, JY-SAF33, JY-HSR23/16, JY-HSR33/23, JY-FCR2066, JY-FCR2305; Rescue Boat davit: JY-PLR21, JY-LFR27, JY-LRHE18, JY-LRHE30, JY-LRHE70, JY-LFR35, JY-SAP14, JY-SAP30; Gravity Overhead Rolling Type Davit: JY-HE70, JY-HE95, JY-HE120, JY-HE155; Telescopic Boom Type Davit: JY-TBD120, JY-TBD215, JY-TBD35 Hydraulic Luffing Arm Type Davit: JY-GYE70, JY-GYE120, JY-GYE185; Connecting Rod Type Davit: JY-GL70, JY-GL95, JY-GL120, JY-GL185; Winch: JY-SAP14, JY-D23Z, JY-D23/16Z, JY-SAFC23, JY-D33/23Z, JY-SAF33, JY-LRHE30, JY-PLR21, JY-

Downloaded Copy

Room 02-05, 48F, Raffles City Shanghai Office Tower, No.268 Xi Zang Middle Road, Huangpu District, Shanghai, 200001, China

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
LFR27, JY-LRHE70 JY-D50S/Z, JY-D70S/Z, JY-D85S/Z, JY-D110S/Z, JY-DW125S, JY-DP110S/Z, JY-DP150/Z, JY-DP185, JY-DP215; Release Mechanism of Lifeboat/Rescue Boat: HK40, HK40A, HK50B, HK50A, FHK70, HK70, HK115, LB60MR, LB80MR, LB120MR, FHK80, FHK90, LB35MRS, LB70MRS; 5. SHIN MYUNG TECH CO., LTD. Type/series: SM-LRD, SMRB&PVH, SMRB&LR, SMRBD-LSW, SMLRD-LSW, SMRB&LR-NLSW; 6. SSII SANGSANGIN INDUSTRY CO., LTD (Ex. DONGNAM MARINE CRANE Co., Ltd. And Dongnam Enterprise) HINGED GRAVITY TYPE: DHG-57-FM, HGW-40-FM, DHG-70-FM, HGW-52-FM, HGW-50-FM, DHG-73-FM, HGW-61-DM, DHGD-11-E2E7; SINGLE ARM TYPE: DLRD, DRLD, DSAD, PV COMBINED, DCHH, DPR, DNR, DRBD, DSAC,BSNKJ; FREEFALL TYPE DAVIT: FF, HDF; DSAM11-E2M0 7. CSSC Luzhou Zhenjiang Marine Auxiliary Machinery CO., LTD Gravity davit: LE45-1/LE55-1/LE65-1/LE85-1/LE100-1/LE138-1/LE170-1/HE65/HE85/HE100/HE138/H170/RE50/RE60/RE80/RE100/SRH65/SRH85/SRH100/SRH120/SRH150/SRH170/SRH200/SRH230/GL65/GL85/GL110/GL138/GL165/TG65/TG85/TG110/TG150/TG170/TG200/TG230HT80/HT100/HT150/HT210/LC400/RC60-EB; Launching appliance davit: FH55/FH70/FH75/FH85/FH100; Single arm davit and crane: SAF14/SAF21/SAFC21/SAFC25/SA21/SA32/HDCL2-6.5/HDCL3-6/HDCL3-10/LA25/LA35/SH-21 /DH30 Off-Shore davit: PL65/PL85/PL100/PL110/PL120/PL138/PL150/PL180/PL200/PL230 Fastrescue boat davit: LFR30/LFR35/LFR55/LFRH30/LEFR50/LFRH60/DH30/SAWH30/SAWH45/SAWH60; Boat Winch: D21KN/D25KN/D32KN/D35KN/D48KN/D63KN/D65KN/D80KN/D100KN/D120KNDP65KN/DP85KN/DP100KN/DP110KN/DP120KN/DP138KN/DP150/DP180KN; Totally Enclosed Lifeboat: YH5.0QFP/YH5.0QFN/YH6.5QFP/YH6.5QFN/YH8.5QFP/YH8.5QFN/YH85QFP-A /YH8.5QFN-A /YH10.3QFP/YH10.3QFN/YH9.5QFP/YH9.5QFN/YH12.0QFP/YH12.0QFN/YH9.9BFP/YH12.5BFP/ZZHG-BF-12.5

Downloaded Copy

Room 02-05, 48F, Raffles City Shanghai Office Tower, No.268 Xi Zang Middle Road, Huangpu District, Shanghai, 200001, China

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
Free Fall Lifeboat: YH5.9FP/YH5.9FN/YH6.7FP/YH6.7FN/YH7.5FP/YH7.5FN/YH8.5FP/YH8.5FN Fast rescue boat: YH6.OFRAYH6.OFRB/YH6.5FRA/YH6.5FRB Rescue boat: YH4.5R/YH4.5DR/YH7.5; Hook: HK25/HK25B/HK40/HK40C/HK65/SH55/SH70/SH85HookHandle release hook 15KN Automatic release hook 21KN/23KN/25KN/35KN 8. WUXI DONGWU MARINE EOUIPMENT CO., LTD Gravity Luffing Amn Davit: 18kN;25kN; 40kN; 50kN; 60kN; 60kN; 85kN; 110kN; T2.5; Sk50; Gravity SlidingTrack Davit: 25kn ; 30kN Free-fall Lifeboat Launching Appliance: F55; F70; NPT100F; Rescue Boats/liferafs Launching Appliances: 21kN (Manual); 21kN (Electrical);21Kn (Electrical/hydraulic); 25Kn(Electrical/hydraulic); 35Kn(Electrical/hydraulic) Electrical Boat Winch: DZY/Z21; DS*ZY25; DZ*ZY25; DS*ZY40; DZ*ZY40; D50S/Z;DS*ZY63;DZ*ZY63;D63S/Z;80kN Rescue Boats Launching Appliances: A30; H35 9. WUXI MINGZI MACHINERYMANUFACTURING CO., LTD Lifeboat Hook Release Mechanism: HK40 Lifeboat Hook Release Mechanism: WHK40 Lifeboat Hook Release Mechanism: WHK65 Davit-launched Rescue Boat Manual Release Hook: 15KN (150-T) Davit-launched Life Raf Automatic Release Hook: 21-25KN (250-T) Life Raft/Rescue Boat Manual/Automatic Release Hook: 31-37KN (370-T); 10. Wuxi Hongsheng Marine F.R.P Co, Ltd Rigid Fast Rescue Boat: HSJ-5.5, HSJ-6.5-II, HS61KR-A, HS61KR-B, HSG-8.5-A, HSG-7.5R Rigid Rescue Boat: GJ4.5, GJ5.5 Totally Enclosed Lifeboat /Rescue Boat: HS57C, HS57F, HS85C, HS85F, HS65C Release Mechanism: HK45, HK40, WHK65, HK40(A), HK60 11. Wuxi Haidelong Marine Equipment Co., Ltd. Free-fall Lifeboat Launching Appliance launching appliance for free fall lifeboats：HDL70FA, MED/1.23

Downloaded Copy

Room 02-05, 48F, Raffles City Shanghai Office Tower, No.268 Xi Zang Middle Road, Huangpu District, Shanghai, 200001, China

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
winch for survival craft and rescue boats：HDL70FA (winch), MED/1.41 Launching appliances for free-fall lifeboats：HDLZ0720, MED/1.23 Winches for survival craft and rescue boats: (b) free-fall lifeboats：HDLZ0720 (winch), MED/1.41b Rescue Boats/liferafts Launching Appliances Launching appliances using falls (davit)：HDL415 (davit) Liferaft launching appliances (davit)：MED/1.21&1.24 Winches for survival craft and rescue boats(winch)：HDL415(winch) MED/1.41 Launching appliances using falls(davits)：SA23 (davit) Liferaft launching appliances(davit)：MED/1.21&1.24 Winches for survival craft and rescue boats liferafts & rescue boats：SA23(winch), MED/1.41(c), (d) Launching appliances for rescue boat & liferaft：HDLD21, MED/1.24 Winches for survival craft and rescue boats life rafts：HDLW21 Winches for survival craft and rescue boats rescue boats：MED/1.41 12. JIANGSU JIAOYAN MARINE EQUIPMENT CO., LTD Free fall lifeboat: JY-FN-4.9/JY-FF-4.9/JY-FN-5.8/JY-FF-5.8 JYM-FN-6.65/JYM-FF-6.65/JY-FN-6.8/JY-FF-6.8 JY-FN-7.5/JY-FF-7.5/JY-FN-8.5/JY-FF-8.5/JY-FN/FF-9.5 Rescue boat: GJ4.2/GJ4.25/GJ4.5/GJ5.0/GJ5.25/GJ6.0B-1/GJ6.10/GJ7.50/GJ8.0Q-2/GJ8.5Q-2 Totally enclosed lifeboat: JY-QFP/N-5.0/JY-QFP/N-5.25/JY-QFP/N-5.6/JY-QFP/N-6.0A JY-QFP/N-6.50/JY-QFP/N-7.0/JY-QFP/N-7.5/JY-QFP/N-7.50A JY-QFP/N-8.00/JY-QFP/N-8.50/JY-QFP/N-8.50X JY-QFP/N-9.35/JY-QFP/N-10.90A Hook: JX and JXN Series Gravity luffing arm type davit: JYL52/JYL55/JYL65/JYL85/JYL105/JYL135 Launching appliance: JYF55/JYF75/JYF75-A/JYF75-B/JYF90 Platform Davit: JYP65/JYP85/JYP105/JYP135 Single arm davit: JYR21/JYR21S-A/JYRC21/JYR14/JYRH14/JYRH21/JYR26/JYR30/JYR23 Electric Boat Winch: FW45/JYW42/JYW50/JYW70/JYW100/JYWP70/JYWP100/JYWP135/JYW35/JYRZ21

Downloaded Copy

Room 02-05, 48F, Raffles City Shanghai Office Tower, No.268 Xi Zang Middle Road, Huangpu District, Shanghai, 200001, China

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
13. WUXI WENJIAO G.F.R.P FACTORY CO., LTD Totally enclosed life/rescue boat: WJB50F; WJB50C; WJ57F; WJ57C; WJ58F; WJ58C; WJ75F; WJ75C; WJ85F; WJ85C; Free Fall lifeboat: WJ59FF; WJ59FC; WJ67FF; WJ67FC; Rescue boat: WJ40R; WJ45KR; WJ45D3; WJ45D; WJ55D; WJ60RA; WJ60RB; WJJZ45; WJJZ55 Lifeboat: WJ45U; BJ55; BJ60; BJ65; BJ70; BJ75; BJ80; BJ85; Release Hook: WJHK40; WJ30HK; WJHK55; WJ-HK65; WJ63HKC; WJ67HK; WJ67FF; WJ40; 14. QINGDAO BEIHAI BOATBUILDING CO., LTD Annual/The 5-year thorough examination and operational test, any overhaul/overload operational test) of the following types of lifeboat/rescue boat, launching equipment and gear release device manufactured by this company. Hooks: BG series. Boat: BH series, BH-F series, BH-R series Davit: BD series, BW-H series, BW-L series, SC series, YSB20-120. Annual/5- year through examination and operational test, any overhaul/overload operational testing of life/rescue boats and associated launching appliances manufactured by company below on basis of the training from maker and practical services as per the requirement of Resolution MSC. 402(96): 1. Fassmer-Marland Ltd Lifeboats: Series of DRAGON; GMR; GMR-T; HH; CLR; -C; CLR-T; GAR; GAR-T; CFL-C; CFL-T; Rescue Boat/ Fast Rescue boats: Series of RR; RRH; FRR; Davits/Cranes/Ramp: Series of FPD-D; SRH; FFH; FLR; FSAR; FSARR; FMAH ；FOD, FHD, FSAH; Winches: Series of DEW; D52L; D52R; DW34; MW50/MW50C for FPD-D60; FW; RZ；DEW On load Release Gear/Lifeboat Release and Retrieval Systems: Series of Duplex (including E and E2); HH 2. JIANGYINSHI BEIHAI LSA Co. Ltd

Downloaded Copy

Room 02-05, 48F, Raffles City Shanghai Office Tower, No.268 Xi Zang Middle Road, Huangpu District, Shanghai, 200001, China

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Certificate No: LR26434183AS
Issue Date: 27/08/2026
Expiry Date: 15/08/2029

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
Life/rescue boat and associated launching appliances below: JYB57C/LA65/JYBW45L/R JYB57C/LB65-H/JYBHK-40NA/D50S/D50Z JYB66FC/JYBHK-56F/SC45KR/JYBHK-25N JYB57C/JYBHK-40NA/LB65-H/D50S/Z JYB66FC/JYBHK-56F/FA65/FFW40/SC45KR/SA25 JYB66FC/JYBHK-56F/FA65/FFW40/SC45KR/SA21 This Service Supplier has been approved to service the equipment in accordance with IMO Resolution MSC.402(96), as amended. Service engineers are to be provided with a valid Certificate, issued by this Approved Service Supplier, which defines their level of qualification and the scope of the certification (i.e. makes and types of equipment and specifically state which activities (e.g. annual thorough examination and operational tests; 5-year thorough examination, overhaul; overload operational tests; repairs) are covered by the certification). This Certificate should be made available when requested.

This approval is conditional upon the Supplier maintaining the documented scheme as audited by any member of the Lloyd's Register Group and hereby approved; and notifying Lloyd's Register in writing of any change to that scheme including any change in personnel, equipment or procedures. This certificate is issued to the Supplier and, subject to the Supplier complying with the necessary conditions, is valid to the date referred to above.

Downloaded Copy

Room 02-05, 48F, Raffles City Shanghai Office Tower, No.268 Xi Zang Middle Road, Huangpu District, Shanghai, 200001, China

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.