Certificate No: LR2607060AS
Issue Date: 17/01/2026
Expiry Date: 16/01/2029

Lloyd's Register Approved Service Supplier

Supplier GARANT SAFETY UAB

Address Pramones 8a, Klaipeda, 94102, Lithuania

Contact Details Garant Safety UAB

Contact Number Tel: +370 46 343036 Fax: +370 46 416206 Email: safety@garant.lt

The above company having been assessed hereby receives approval in accordance with the requirements of Lloyd's Register Procedures for Approval of Service Suppliers as Supplier from the address(es) listed above for the provision of

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear

This Service Supplier has been approved to service the equipment in accordance with IMO Resolution MSC.402(96), as amended.
Service engineers are to be provided with a valid Certificate, issued by this Approved Service Supplier, which defines their level of qualification and the scope of the certification (i.e. makes and types of equipment and specifically state which activities (e.g. annual thorough examination and operational tests; 5-yearthorough examination, overhaul; overload operational tests; repairs) are covered by the certification). This Certificate should be made available when requested.

Maker:
1. Zhenjiang Marine Auxiliary Machinery works
Gravity davit: LE45-1/LE55-1/LE65-1/LE85-1/LE100-1/LE120-1/ LE138-1/ LE170-1/ HE65/ HE85/ HE100/ HE138/H170/ RE50/RE60/ RE80/ RE100/ SRH65/ SRH100/ SRH120/ SRH150/ SRH170/ SRH200/SRH230/ GL65/GL85/ GL110/ GL138/ GL165/ TG65/ TG85/ TG110/TG150/ TG170/ TG200/TG230/ HT80/HT100/ HT150/ HT210/ LC400/RC60-EB
Launching appliance davit: FH55/ FH70/ FH75/FH85/FH100
Single arm davit and crane:SAF14/SAF21/SAFC21/SAFC25/ SA21/SA32/ HDCL2-6.5/ HDCL2-9/ HDCL3-10/ LA25/ LA35/SH-21/ DH30
Off-Shore davit:PL65/ PL85/ PL100/PL110/ PL120/ PL138/PL150/ PL180/ PL200/ PL230
Fast rescue boat davit:LFR30/ LFR35/ LFR55/LFRH30/ LEFR50/LFRH60/ DH30/ SAWH30/ SAWH45/ SAWH60
Boatwinch:D21KN/D25KN/D32KN/D35KN/D48KN/D63KN/D65KN/D80KN/D100KN/D120KN/DP65KN/

Downloaded Copy

Darius Karnauskas

Marine Surveyor to Lloyd's Register EMEA
A member of the Lloyd's Register group

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
DP85KN/DP100KN/DP110KN/DP120KN/DP138KN/DP150/DP180KN Totally enclosedlifeboat:YH5.0QFP/YH5.0QFN/YH6.5QFP/YH6.5QFN/ YH8.5QFP/ YH8.5QFN/ YH8.5QFP-A/ YH8.5QFN-A/ YH10.3QFP/YH10.3QFN/ YH9.5QFP/ YH9.5QFN/ YH12.0QFP/ YH12.0QFN/YH9.9BFP/ YH12.5BFP/ZZHG-BF-12.5 Free fall lifeboat: YH5.9FP/YH5.9FN/ YH6.7FP/ YH6.7FN/YH7.5FP/ YH7.5FN/ YH8.5FP/ YH8.5FN Fast rescue boat: YH6.0FRA/ YH6.0FRB/ YH6.5FRA/YH6.5FRB Rescue boat: YH4.5R/YH4.5DR/ YH7.5 Release mechanism: HK25/HK25B/ HK40/ HK40C/HK65/ SH55/SH70/ SH85 Handle release hook 15KN, Automatic release hook 21KN/ 23KN/ 25KN/35KN 2. Jiangsu Jiaoyan Marine Equipment CO., Ltd (Jiangyin Xinjiang F.R.P.Co.,Ltd.) Free fall lifeboat: *JY-FN-4.9/JY-FF-4.9/JY-FN-5.8/JY-FF-5.8 JYM-FN-6.65/JYM-FF-6.65/JY-FN-6.8/JY-FF-6.8* JY-FN-7 .S/JY-FF-7.5/JY-FN-8.5/JY-FF-8.5/JY-FN/FF-9.5 Rescue boat: GJ4.2/GJ4.25/GJ4.5/GJS.0/GJS.25/GJ6.0B-1/GJ6.10GJ7.50/GJ8.0Q-2/GJ8.SQ-2 Totally enclosed lifeboat: JY-QFP /N-5.0/JY-QFP/N-5.25/JY-QF P /N-5.6/JY-QFP /N-6.0A JY-QFP /N-6.50/ JY-QFP /N-7 .0/JY-QFP/N-7.5/JY-QFP /N-7 .S0A JY-QFP/N-8.00/JY-QFP/N-8.50/JY-QFP/N-8.S0XJY-QFP/ N-9.35/JY-QFP/N-10.90A Gravity luffing arm type davit: JYL52/JYLSS/JYL65/JYL85/JYL105/JYL135 Launching appliance: JYFSS/JYF75/JYF75-B/JYF90 Platform Davit: JYP65/JYP85/JYP105/JYP135 Single arm davit:JYR21/JYR21S-A/ JY RC21/ JYR14/ J YR H 14/JY RH 21/ JY R26 / JYR30 JYR23 Winch: FW45/JYW42/JYWS0/JYW70/JYW100/JYWP70/JYWP100JYWP135/JYW35/JYRZ21 Release mechanism: JX series; JXN series 3.HLB Networks Co. Ltd (ex. Hyundai lifeboats Free fall lifeboat: HDF series, BDF series, HDFN series Gravity type: HD series, HDL series, HDFL series, HT series, HLB series, HLN-NB-C/F series, HLB-NM-R series Rescue boat: HDR series, BDA series, DFA series Fast rescue boat: HDFR series Release mechanism for Free fall lifeboat: Talon series Release mechanism for Gravity Lifeboat: Talon &Talon II series, Titan, THP Release mechanism for Rescue boat & Liferaft: BHR series, BHA series

Downloaded Copy

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
Release mechanism fos Fast rescue boat: BHR 4.BADA Heavy Industries (ex. D.R.M.) Free fall davit: Series: HDF, BDF, HDFL Gravity davit: Series: BDH, BDTD, BDHP, BDTW, BDR,BDM, BFOD FF,BDFD, BDRW, BDTW, DRBD Rescue boat/ Liferaft davit: Series: BDA, BDFA, BDL,BDR, BHI, BLR Winch: Series: DRM, DRBW, HLDF, BAW, BDF, BDFD, HDFL,HDF,BHI, BLR, BLW, BMW, BRW, BWL, BWR, FHW, BHK Release mechanism: Series: BDR, BHA, BHR 5. Qingdao Beihai Shipbuilding Heavy Industry Co.,Ltd. Lifeboats: BH – 5,6,7,8,9,10 series, BH-E - series, BH-F series Rescue boats: BH-R - series; BH-HR - series Lifeboats and rescue boats davits: BD-PV - series; BD-AR - series; BD-PL - series; BD-FF series, BD-SA series, BD-SH series, FA36,RBD966 Release mechanism: BG-3/3S/3R/3L/7/10;BH-HOOK3/5,FS5/7/10/13 BG-3F,3.5F,4F,4.5F,4.5FL,5F,6F BG-2R, Wuxi XS series, Jimo CS series Winch: BW-H(L/R) series, L(L/R) series, SC series 6. YSB Winch: Hydraulic winch series 7. INI Winch: Hydraulic winch series 8. BJM Winch: Hydraulic winch series 9. Oriental Precision & Engineering Co. Ltd Gravity type davit & winch: Davits: HGD Series; HGK Series; SHS Series; RTD Series; DHA eries; DMA Series Winch: BWE Series, SWE Series, WL Series Free fall davit & winch: FD Series, WL Series

Downloaded Copy

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
Rescue/Liferaft Davit & winch: RD Series, RDW Series 10. Global Davit GmbH Life rafts cranes/davits: Series: Lms, Lhs, Lgp Rescue boat cranes: Series: Rms, Rhs, Rhp, Rht, Rsp Hydraulic davits: Series: Rhp.HC, Rhs.HC Gravity davits: Gsp series, Glp series Hydraulic slewing cranes: Fhs series Release mechanism: Series: HR.12, HRN28, HRL.26 Boat Winch: W02 & W04(W.L -,W.R) series 11. GEPA – Fiberglass Industry & Trade Co. Inc. Free fall lifeboat: G-FFF1 & G-FFF1-FP, G-FFF2& G-FFF2-FP, G-FFF3& G-FFF3-FP Totally enclosed lifeboat: G-F6K & G-F6K-FP, G-F4K& G-F4K-FP, G-F3K& G-F3K-FP Partially enclosed lifeboat: G-F6YK, G-F4YK, G-F3YK& G-F3YK-T Open types lifeboats: G-F5, G-F2, G-F1, G-F6, G-F4,G-F3 Service & utility boats: G-GSB3, G-F5-UB, G-GSB4,G-F2-UB, G-GSB2, G-F1-UB,G-GSB1, G-F6-UB, G-F3-UB, G-F4-UB Rescue boat & hook release devices: G-RB1, G-K1,G-RB1-DE, G-K2, G-RB3, G-FRB1-O, G-FRB2-O 12. Mansei INC. Lifeboats and rescue boats davits: Series: EBD, EM,ABD, AH, AT, AV, EH, ET, EV, M, CM, D-FH, DE-FH, MFE, MFH, SR, SRE, R, S, RD,EHR Release mechanism: RH series Winch: Series: EBW, ABW, AW, EW, MW, CMW, 06, FW, SW,RMW, MLW, ERW 13. Miura Machine CO. LTD. Lifeboats and rescue boats davits: Series: SP, MVD,GRA, SAR Winch: Series: BH, BE, BA 14. Wuxi Mingzi machinery Release mechanism: HK40; WHK40; WHK65; 15KN; 21-25KN;31-37KN

Downloaded Copy

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
15. Fassmer Marland (Fassmer) Free fall lifeboats: GAR 6.7,6.7 Tanker Version,GAR7.4, T7.4 Tanker version, CFL –C49(E), T49(E)Tanker version, C66(E),T66(E)Tanker version, C72(E), T72(E)Tanker version, C77(E),T77(E) Tanker version,C83(E),T83(E)Tanker version Totally enclosed lifeboat: Dragon series: 26C, 32C,38C, Tanker versions 26T,32T,38T GMR6.5,7.4,Tanker versions T6.5, T7.4 HH series 57C,65C,70C, Tanker versions 57T,65T,70T CLR-C5.9, CLR-T5.9Tankerversion Rescue boats: RR 4.2/RR4.2-M, RRH4.2, RR4.2ID,FRR6.1ID, FRR6.2ID Free fall lifeboats davits: FFH49,49D,49W,66,66D,72,77,83 FLR49,66,72 Pivot davit: FPD D52,D60,D68,DH68, SRH 70 Rescue boats davits: FSAR14/3.5HS,4.0/3.5HS,21/4.0HS,25,25W, 21 FSARR14/3.5HS,21/4.0HS,22/4.0HS FMAH 22KN Freefall lifeboat release mechanism: Single type 5.1,FM53 Onload release gears: Duplex 2.5,2.5E,25E2,5.0,5.0E,50E2, HH43 (hai Hong type) Pivot davit winch: DEW 15-24,15-35,15-44, D52L/D52R,DW34S/DW34Z, MW50/MW50C for davidFPD-D60 Freefall davit winch: FW35 Rescue davit winch: DEW150, DEW 450, RZ25, DZA20 16.Hai Hong Boat making (Guangzhou) Rescue boats: GJ - series Totally enclosed lifeboat: HH57C,65C,70C Tanker versions HH57T,65T,70T

Service Of Immersion Suits, Thermal Protective Aids, And Chemical Protective Clothing
Immersion suits: VIKING Life-SavingEquipment A/S Immersion Suits (all types)JIANGSU HUAYANMARINE EQUIPMENTCO., LTD, China All types

Downloaded Copy

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Inspections And Maintenance Of Fire-Extinguishing Equipment And Systems
Additional scope is the service supply of Drager and Riken Keiki portable gas detection instruments and fixed gas detection systems

Hydraulic Tests Of Low And High Pressure Cylinders

Inspections And Maintenance Of Self-Contained Breathing Apparatus
Service of air compressors for Self-Contained Breathing Apparatus

Surveys, Servicing And Testing Of Lifting Appliances

Servicing Of Inflatable Liferafts, Inflatable Lifejackets, Hydrostatic Release Units, Marine Evacuation Systems
VIKING Life-Saving Equipment A/SKF, DKF, DKF+, DKFS, DKFS+, DKFS+ S30, MOR (Means of Rescue)life-rafts: Up to 39 personsDKR/IBA/RDV life-rafts without remote release system: Up to 65personsUK, CL, UKL, UKSL, UKCL life rafts: All sizesK, DK, DK+, DKS non-system life rafts: Up to 50 persons;DKF; DKF +;DKFS; DKFS+ S30 up to 39 personsDK+; DKS; DKR; IBA S30 up to 65 personsMor (means of rescue) S30 ALPHA OCEANPL(F)-4/6/8/10/12 pers., PL-C(F)-4/6/8 pers.4W FOR WATERPL(F)-4/6/8/10/12 pers., PL-C(F)-4/6/8 pers.SEA-SAFE, FranceKHA-6-25 pers., KHK-6-30 pers., KHK-50-100 pers., KHD-12-25pers., KHZD25-37 pers., KHZ-6-25 pers., KHZ-50 pers., KHA-6-16pers., KHY-4-12 pers., KHYSR-4-12 pers., KHYJ-4-8 pers., KHY(F)-4/6/8/10/12 pers., KHYSR(F)-4/6/8 pers., KHYJ(F)-4/6/8 pers., PL-4-12 pers.,

Downloaded Copy

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Certificate No: LR2607060AS
Issue Date: 17/01/2026
Expiry Date: 16/01/2029

Lloyd's Register Approved Service Supplier

Servicing Of Inflatable Liferafts, Inflatable Lifejackets, Hydrostatic Release Units, Marine Evacuation Systems
PLSR-4-8 pers., PLC-4-8 pers., PL(F)-4/6/8/10/12 pers.,PL-C(F)-4/6/8 pers.FUJIKURA COMPOSITIESInc., JapanLife-rafts: FRN-SV, FRN-SN, FRN-SVRD (all types)HRU: C-38, C-3, H20

This approval is conditional upon the Supplier maintaining the documented scheme as audited by any member of the Lloyd's Register Group and hereby approved; and notifying Lloyd's Register in writing of any change to that scheme including any change in personnel, equipment or procedures. This certificate is issued to the Supplier and, subject to the Supplier complying with the necessary conditions, is valid to the date referred to above.

Downloaded Copy

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.