Certificate No: LR26255544AS
Issue Date: 21/04/2025
Expiry Date: 20/04/2028

Lloyd's Register Approved Service Supplier

Supplier **ONURSAN USA (American Marine Safety)**

Address 2831 South Houston Ave, Building #11, Humble, Texas, 77396, United States

Contact Details Mr. Barbaros Onur

Contact Number Tel No.: +1832 390 2000
Email: barbaros@onursan.net

The above company having been assessed hereby receives approval in accordance with the requirements of Lloyd's Register Procedures for Approval of Service Suppliers as Supplier from the address(es) listed above for the provision of

Inspections And Maintenance Of Fire-Extinguishing Equipment And Systems
THE ABOVE-NAMED SERVICE SUPPLIER COMPANY IS APPROVED BY FOLLOWING MAKER: -NK PRODUCTS -M.B. S.R.L.

Hydraulic Tests Of Low And High Pressure Cylinders
THE ABOVE-NAMED SERVICE SUPPLIER COMPANY IS APPROVED BY FOLLOWING MAKER: -NK PRODUCTS -M.B. S.R.L.

Service Of Immersion Suits, Thermal Protective Aids, And Chemical Protective Clothing
THE ABOVE-NAMED SERVICE SUPPLIER COMPANY IS APPROVED BY FOLLOWING MAKER:

Downloaded Copy

Partiban Singaraveloo

Senior Surveyor to Lloyd's Register North America, Inc.
A member of the Lloyd's Register group

REGUS 2600 South Shore Blvd, Suite 300 League City, Houston, Texas, 77573, United States

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Service Of Immersion Suits, Thermal Protective Aids, And Chemical Protective Clothing
-SHANGHAI FANGZHAN FIRE TECHNOLOGY CO., LTD

Servicing Of Inflatable Liferafts, Inflatable Lifejackets, Hydrostatic Release Units, Marine Evacuation Systems
AUTHORISED TO SERVICE / REPAIR INFLATABLE LIFERAFTS MANUFACTURED BY: -CMS BRAND -FUJIKURA COMPOSITES INC. -SHANGHAI YOULONG RUBBER PRODUCTS CO., LTD -JIANGSU HAINING MARINE EQUIPMENT CO., LTD -NINGBO NEPTUNE LIFE-SAVING EQUIPMENTCO.,LTD (SEA-AIR)

Inspections And Maintenance Of Self-Contained Breathing Apparatus
THE ABOVE-NAMED SERVICE SUPPLIER COMPANY IS APPROVED BY FOLLOWING MAKER: -SHANGHAI FANGZHAN FIRE TECHNOLOGY CO., LTD

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
This Service Supplier has been approved to service the equipment in accordance with IMO Resolution MSC.402(96), as amended. Service engineers are to be provided with a valid Certificate, issued by this Approved Service Supplier, which defines their level of qualification and the scope of the certification (i.e. makes and types of

Downloaded Copy

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear

equipment and specifically state which activities (e.g. annual thorough examination and operational tests; 5-year thorough examination, overhaul; overload operational tests; repairs) are covered by the certification). This Certificate should be made available when requested.

THE ABOVE-NAMED SERVICE SUPPLIER COMPANY IS APPROVED BY FOLLOWING MAKER:

1. MAKER: ARIM MACHINERY
A) RESCUE BOAT & LIFE RAFT DAVIT TYPES:APRV/RVD-2019 CSN SERIES - APRV/RVD-1875 QHS SERIES-APRV/RVD-2260 JINSE SERIES- APRV/RLD-2260 SH SERIES - APRVD/RVD-2108 SK-H SERIES -MSO7 SERIES -LRBD-20 SHSERIES
B) LIFE RAFT DAVIT TYPES: ARLD-20 P SK-HSERIES - APRV/LD-2050 SK-H SERIES

2. MAKER: DONGNAM
A) CONVENTIONAL LIFEBOAT TYPES: DHG-57-FM,HGW-40-FM, DHG-70-FM, HGW-52-FM, HGW-50-FM, DHG-73-FM, HGW-61-DM
B) FREEFALL DAVIT TYPES: FF, HDF
C) RESCUE BOAT & LIFE RAFT DAVIT TYPES:DLRD, DRLD, DSAD.PV COMBINED, DCHH, DPR, DNR, DRBD, DSAC

3. MAKER: FASSMER MARLAND
A) CONVENTIONAL LIFEBOAT TYPES: HH57C-57 T,HH65C-65T, HH70C-70 T, DRAGON (26 C-26T,32C-32T,38C-38T), GMR 6.5 T, GMR-T6.5,GMR 7.4, GMR-T7.4, CLR-C5.9, CLR-T5.9
B) FREEFALLLIFEBOAT TYPES: GAR 6.7, GAR-T6.7, GAR7.4, GAR-T7.4, CFL-C49(E), CFL-T49(E),CFL-C66(E), CFL-T66(E), CFL-C72(E), CFL-T72 (E), CFL-C77(E), CFL-T77(E),CFL-C83(E), CFL-T83(E)
C) RESCUE BOAT TYPES: RR4.2 / RR4.2-M,RRH4.2, RR4.2 ID, FRR6.1 ID, FRR6.2 ID
D) CONVENTIONAL DAVIT TYPES: FPD-D60,FPD-D68, FPD-DH68, SRH70
E) FREEFALL DAVITTYPES : FFH49, FFH49D, FFH66, FFH66D, FFH72, FFH77, FFH83
F) RESCUE BOAT& LIFE RAFT DAVIT TYPES: FSAR 14/3.5HS, FSARR 14/3.5HS, FSAR 4.0/3.5HS,FSAR 21/4.0HS, FSARR 21/4.0HS, FSARR 22/4.0HS, FMAH 22KN, FSAR 25
G) RELEASE HOOK TYPES: DUPLEX 2.5, DUPLEX2.5E, DUPLEX 25E2, DUPLEX 5.0, DUPLEX 5.0E, DUPLEX 50E2, HH43 (HAI HONG TYPE)
H) FREEFALL RAMP TYPES: FLR49, FLR66, FLR72

Downloaded Copy

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
4. MAKER: GEPA A) CONVENTIONAL LIFEBOAT TYPES: G-F6K &G-F6K-FP, G-F4K & G-F4K-FP, G-F3K & G-F3K-FP, G-F6YK, G-F4YK, G-F3YK& G-F3YK-T, G-F5, G-F2, G-F1, G-F6, G-F4, G-F3 B) FREEFALL LIFEBOAT TYPES: G-FFF1 &G-FFF1-FP, G-FFF2 & G-FFF2-FP, G-FFF3 & G-FFF3-FP C) RESCUE BOAT TYPES: G-RB1, G-RB1-DE,G-RB3, G-FRB1-O, G-FRB2-O D) RELEASE HOOK TYPES: G-K1, GK2 5. MAKER: GURDESAN A) CONVENTIONAL DAVIT TYPES: GD.GR20,GD.GR25, GD.GR 40, GD.GR43 B) FREEFALL DAVIT TYPES: GD.FFD.10C, GD.FFD12, GD.FFD 12Y, GD.FFD 15A, GD.FFD 18, GD.FFD 19, GD.FFD 19A, GD.FFD.19C,GD.FFD 19E, GD.FFD 20, GD.FFD 20B, GD.FFD 35, GD.FFD 20 Y, GD.FFD.21, GD.FFD.21Y, GD.FFD.22, GD.FFD.22Y, GD.FFD.25, GD.FFD.25 A, GD.FFD.25B, GD.FFD.25C,GD.FFD.26, GD.FFD.28 C) RESCUE BOAT & LIFE RAFT DAVIT TYPES:GD.RRS15/3,5, GD.RRS15/3,5A, GD.RRS21/4.0, GD.RRS25/4.0, GD.RRS25A, GD.RRS64A,GD.RRS64B, GD.HBMA.30/50, GD.HBMK.30/5-6-7-8, GD.HBMK.40/5-6-7-8,GD.HBMK.50/5-6-7-8 6. MAKER: HYUNDAI & BADAHI A) CONVENTIONAL LIFEBOAT TYPES: HD, HT,HDL, HLB, B) FREEFALL LIFEBOAT TYPES: HDFL, HDFN C) RESCUE BOAT TYPES: HDR, HDFR D) CONVENTIONAL DAVIT TYPES: BDH,BDM&BFOD, BDTB, BDTW E) FREEFALL DAVIT TYPES : BDF, HDF, HDFL F) RESCUE BOAT & LIFE RAFT DAVIT TYPES:BDR&BHI, DRM, BDHP, BDH, BDRW, BDA, BDFA, BDL G) RELEASE HOOK TYPES: THP, TALON&TALONII, BDR, BHA&BHR 7. MAKER: IKNOW/EX TSUJI A) CONVENTIONAL DAVIT TYPES:DAVIT:H,T,TC WINCH:EB,TC,OAP 8. MAKER: JIANGSU JIAOYAN A) CONVENTIONAL LIFEBOAT TYPES:JY-QFP/N-5.0/JY-QFP/N-5.25/GTR57JYC/F/JY-QFP/N-6.0A/JYQFP/N-6.50/JY-QFP/N-7.0/JY-QFP/N-7.5/JY-QFP/N-7.50A/JYQFP/N-8.00/JY-QFP/N-8.50/JY-QFP/N-8.50X/JY-QFP/N-9.35/JY-QFP/N-10.90A

Downloaded Copy

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
B) FREEFALL LIFEBOAT TYPES:JY-FN-4.9/JY-FF-4.9/JY-FF5.8/JYM-FN-6.65/JYM-FF-6.65/JY-FN-6.8/JY-FF6.8/JY-FN-7.5/JY-FF-7.5/JY-FN-8.5/JY-FF-8.5 C) RESCUE BOAT TYPES:GJ4.2/GJ4.25/GJ4.5/GJ5.0/GJ5.25/GJ6.0B-1/GJ6.10/GJ7.50/GJ8.0Q-2/GK8.5Q-2 D) CONVENTIONAL DAVIT TYPES: DAVIT:JYL52/JYL55/JYL68/JYL85/JYL105/JYL135/ JYP65/JYP85/ JYP105/JYP165 &WINCH:JYW42/JYW50/JYW70/JYM100/JYWP70/JYWP100/JYWP135/JYW35 E) FREEFALL DAVIT TYPES :DAVIT:JYF55/JYF75/JYF75-B/JYF90 WINCH:FW45 F) RESCUE BOAT & LIFE RAFT DAVIT TYPES:DAVIT:JYR21/JYR21S-A/JYRC21/JYR14/JYRH14/JYRH21 & WINCH:JYRZ21 G) RELEASE HOOK TYPES: JX AND JXN SERIES 9. MAKER: JIANGYINSHI BEIHAI A) CONVENTIONAL LIFEBOAT TYPES: JYB SERIES B) FREEFALL LIFEBOAT TYPES: JYB SERIES C) RESCUE BOAT TYPES: SC SERIES D) CONVENTIONAL DAVIT TYPES: LB, LA, BHGH,PD, FRH, EHRD, SRH, BHGP, RB, HB, HDC, ESAD E) FREEFALL DAVIT TYPES: FA SERIES F) RESCUE BOAT & LIFE RAFT DAVIT TYPES:SAC, SA G) RELEASE HOOK TYPES: JYBHK -HK SERIES 10. MAKER: JMU-IHI A) GRAVITY & FREE FALL LIFEBOAT TYPES: SERIESOF GF, GT, GTR, GTC, S, G, MU-FN, MU-FF B) GRAVITY & FREEFALL DAVIT TYPES: SERIESOF MUL, MUF C) WINCH TYPES: SERIES OF MUW D) RESCUE BOAT TYPES: SERIES OF MU-GI E) RESCUE BOAT DAVIT TYPES: SERIES OF MUR F) OTHERS: JY SERIES OF JIANGSU JIAOYANWITH JMU NAMEPLATE WITH JG SHOP INSPECTION APPROVAL CERTIFICATE. 11. MAKER: MANSEI &MIURA VIDER A) CONVENTIONAL DAVIT TYPES:EBD/EM/ABD/AH/AT/AV/EH/ET/M/CM/SP/MVD/GRA/SAR (WINCH: EBW-ABW-AW/EW/MW/CMWSERIES OF 06 /BH/BE/BA) B) FREEFALL DAVIT TYPES: D-FH/DE-FH/MFE/MFH(WINCH: FW) C) RESCUE BOAT & LIFE RAFT DAVIT TYPES:SR/SRE/R/S/RD/EHR (WINCH: SW/RMW/MLW/ERW)

Downloaded Copy

REGUS 2600 South Shore Blvd, Suite 300 League
City, Houston, Texas, 77573, United States

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
D) RELEASE HOOK TYPES: RH SERIES 12. MAKER: NISHI-F/EX ISHIHARA/NISHI-NIPPONF.R.P A) CONVENTIONAL LIFEBOAT TYPES: G SERIES B) FREEFALL LIFEBOAT TYPES: F/ML SERIES C) RESCUE BOAT TYPES: F/ML SERIES D) RELEASE HOOK TYPES: IHM-12, IHM-12B,IHM-13, NS-2.5, NS-3, NS-5, SR-1, SR-3(SRS-37), SR-4, SR-6, FF-H6T, FF-H7T 13. MAKER: ORIENTAL A) CONVENTIONAL DAVIT TYPES:DAVIT:HGD/HGK/SHS/RTD/DHA/DMA SERIES WINCH:BWE/SWE/WL SERIES B) FREEFALL DAVIT TYPES: FD/WL SERIES C) RESCUE BOAT & LIFE RAFT DAVIT TYPES:RD / RDW SERIES 14. MAKER: QINGDAO BEIHAI A) CONVENTIONAL LIFEBOAT TYPES:BH5,5A,5S,5SA,E500,E585,6,6A,6S,E670,7A,7B,8. B) FREEFALL LIFEBOAT TYPES: BH-F6.0,F7.0A,F7.8,F8.1,F5.8,F6.8,F660,F670,F750,F900A C) RESCUE BOAT TYPES: BH-R4,R4S,R4SA,R5S D) CONVENTIONAL DAVIT TYPES: BD-PV50,PV60,PV60S,PV85,PV125 (WINCH:BW-H(L/R)31,50,63,75) E) FREEFALL DAVIT TYPES:BD-FF55,55A,55R,FF80,80A,80R,80B,FF65/66/67,FF85 (WINCH:YSB20-120) F) RESCUE BOAT & LIFE RAFT DAVIT TYPES:BD-SA14,14A,14B,SA21,21A,SA23,SA30,30A,SA33,SH23 (WINCH:SC14,21) G) RELEASE HOOK TYPES:LIFEBOAT:BG-3,3R,3L,BG-7,BH-HOOK3, HOOK5,FS5,FS7/ FREEFALL BOAT:BG-3F/3.5F/4F/4.5F/4.5FL/5F/6F/R.BOAT:BG-2R 15. MAKER: SEKIGAHARA A) CONVENTIONAL DAVIT TYPES:SH,SFB,SHS,STS,SSS B) FREEFALL DAVIT TYPES: SFS,SFA,SFB,SFC,SFD C) RESCUE BOAT & LIFE RAFT DAVIT TYPES:SJS,SJR 16. MAKER: SHIGI A) CONVENTIONAL LIFEBOAT TYPES: SZ SERIES,OPEN TYPES

Downloaded Copy

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
B) FREEFALL LIFEBOAT TYPES: VOX SERIES, FELSERIES C) RESCUE BOAT TYPES: GARS SERIES 17. MAKER: SHIN MYUNG TECH A) RESCUE BOAT & LIFE RAFT DAVIT TYPES:SM-LRD, SMRB&PVH, SMRB&LR, SMRBD-LSW, SMLRD-LSW, SMRB&LR-NLSW 18. MAKER: WUXI HAI HONG A) CONVENTIONAL LIFEBOAT TYPES:HH50C/HH50T/HH53C/ HH53T/HH57C/HH57T/ HH65C/HH65T/ HH565CS/ HH65TS/HH70C/HH70T/HH75CS/HH75TS/HH75C/ HH80CS/HH80TS/HH85C/ HH85TS B) FREEFALL LIFEBOAT TYPES:HH59FC/HH59FF/HH76FC/HH76FF C) RESCUE BOAT TYPES: GJ4.5B/GJ4.5B1/GJ618A/GJ618B 19. MAKER: ZHENJIANG JUST MARINE EQUIPMENT A) LIFEBOATS TYPES: ZJM50C, ZJM50F, ZJM57C,ZJM57F, ZJM65C, ZJM65F, ZJM75C, ZJM75F. B) FREEFALL LIFEBOATS TYPES: ZJM59FC,ZJM59FF, ZJM66FC, ZJM66FF. C) RESCUE BOAT TYPES: ZJM40R, ZJM45R,ZJM618. D)LAUNCHING APPLIANCES TYPES: L40, L57, L67, L90, FH70, FH90, PA65, PA85,SA21/SAC21, SA23, SA30, FR21, FR30. 20. MAKER:ZHENJIANG MARINE AUXILIARY MACHINERY A) TOTALLYENCLOSED LIFEBOAT TYPES: YH5.0QFP /YH5.0QFN / YH6.5QFP / YH6.5QFN / Y118.5QFP / YH8.5QFN / YH8.5QFP-A / YH8.5QFN-A/ YH10.3QFP YH10.3QFN / YH9.5QFN / YH12.0QFP YH12.0QFN / YH9.9BFP / YH12.5BFP /ZZHG-BF-12.5 B) FREEFALLLIFEBOATS TYPES: YH5.9FP / YH5.9FN / YH6.7FP / YH6.7FN / YH7.5FP / YH7.5FN /YH8.5FP / YH8.5FN C) RESCUEBOAT TYPES: YH6.0FRA / YH6.0FRB / YH6.5FRA / YH6.5FRB / YH4.5R / YH4.5DR /YH7.5 D)LAUNCHING APPLIANCES TYPES: LE45-1 / LE55-1 / LE65-1 LE85-1 / LE100-1 / LE138-1LE170-1 / HE65 / HE85 HE100 / HE138 / H170 RE50 / RE60 / RE80 / RE100 / SRH65 /SRH85 SRH100 / SRH120 / SRH150 SRH170 / SRH200 / SRH230 GL65 / GL85 / GL110 /GL138 / GL165 / TG65 TG85 / TG110 / TG150 TG170 / TG200 / TG230 / HT80 / HT100/ HT150 / HT210 / LC400 / RC60-EB / FH55 / FH70 / FH75 / FH85 / FH100 / SAF14 /SAF21 / SAFC21 / SAFC25 / SA21 / SA32 / HDCL2-6.5 / HDCL3-6 / HDCL3-10 / LA25 /LA35 / SH21 / DH30 / LFR30 LFR35 / LFR55 / LFRH30 / LEFR50 / LFRH60 / DH30 /SAWH30 / SAWH45 / SAWH60 / D21KN /

Downloaded Copy

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Certificate No: LR26255544AS
Issue Date: 21/04/2025
Expiry Date: 20/04/2028

Lloyd's Register Approved Service Supplier

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear
D25KN / D32KN / D35KN/ D48KN / D63KN / D65KN/ B80KN / D100KN / D120KN / DP65KN / DP70KN / DP85KN / DP100KN / DP110KN /DP120KN / DP138KN / DP150 / DP180KN / PL65 / PL85 / PL100 / PL110 / PL120 /PL138 / PL150 / PL180 / PL200 / PL230. E) HOOK TYPES: HK25/ HK25B / HK40 / HK40C /HK65 / SH55 / SH70 / SH85 / HAND RELEASE HOOK 15KN / AUTOMATIC ELEASEHOOK 21KN / 23KN / 25KN / 35KN. 21. MAKER: WUXI XINGSEHNG A) RELEASE HOOK TYPES: 15,21,23,25,35 KNHOOKS

This approval is conditional upon the Supplier maintaining the documented scheme as audited by any member of the Lloyd's Register Group and hereby approved; and notifying Lloyd's Register in writing of any change to that scheme including any change in personnel, equipment or procedures. This certificate is issued to the Supplier and, subject to the Supplier complying with the necessary conditions, is valid to the date referred to above.

Downloaded Copy

REGUS 2600 South Shore Blvd, Suite 300 League
City, Houston, Texas, 77573, United States

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.