Certificate No: LR26273126NMR
Issue Date: 12/06/2026
Expiry Date: 11/06/2031

# Certificate of Approval of a Polyester Resin

| | |
|---|---|
| **Manufacturer** | **NCS South Africa (Pty) Ltd.** |
| **Address** | P.O Box 392, Pinetown, 3600, South Africa |
| **Product** | **DEXA™RES** |
| **Type** | Orthophthalic Polyester Resin |
| **Resin** | **DEXA™RES 103 PA** |
| **Application** | Laminating resin |
| **Characteristics** | Pre-accelerated, thixotropic, brush/sprayable |
| **Applicable LR Rules** | Lloyd's Register Rules for the Manufacture, Testing and Certification of Materials |

**Approved Variants**

| | |
|---|---|
| DEXA™RES 362 PA | Coloured PET version of DEXA™RES 103 PA |
| DEXA™RES 362 PA S | Coloured PET summer version of DEXA™RES 103 PA |
| DEXA™RES 362 PA-50 | Longer geltime coloured PET version of DEXA™RES 103 PA |
| DEXA™RES 369 PA S U | Unwaxed coloured PET version of DEXA™RES 103 PA |
| DEXA™RES 362 PIGMENTED | Pigmented coloured PET version DEXA™RES 103 PA |
| LR 7163 | Unaccelerated, non-thixed clear PET base resin |
| DEXA™RES 102 PA | Pre-accelerated coloured PET version of DEXA™RES 103 PA |
| DEXA™RES 103 PA-50 | Longer geltime version of DEXA™RES 103 PA |
| DEXA™RES 103 | Unaccelerated clear PET version of DEXA™RES |

Downloaded Copy

**Raj Muthuraj**
Specialist Non-Metallics to Lloyd's Register EMEA
A member of the Lloyd's Register group

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Certificate No: LR26273126NMR
Issue Date: 12/06/2026
Expiry Date: 11/06/2031

# Certificate of Approval of a Polyester Resin

| | |
|---|---|
| 103 PA | |
| DEXA™RES 103 PASU | Unwaxed version of DEXA™RES 103 PA |
| DEXA™RES 103 PIGMENTED | Pigmented versions of DEXA™RES 103 PA |

This certificate is issued to the manufacturer named above. The resin described has been examined in accordance with the requirements of Lloyd's Register and is approved for use in constructions built under Lloyd's Register survey.

This approval is subject to Lloyd's Register being informed of any changes in or modifications to the resin being used in accordance with the manufacturer's instructions and the relevant requirements of Lloyd's Registers Rules and Regulations.

Downloaded Copy

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.