Certificate No: LR26135494AS
Issue Date: 14/02/2026
Expiry Date: 13/02/2029

# Lloyd's Register Approved Service Supplier

| | |
|---|---|
| **Supplier** | **INDUSTRIA DE PREVENCION CANARIA S.L.U. - INPRECASA** |
| **Address** | Calle Pinillos Izquierdo, NAVE 2, (AREA PORTUARIA), GRAN CANARIA, CANARY ISLANDS, 35008, Spain |
| **Contact Details** | RODOLFO NODA LEÓN; email: inprecasa@inprecasa.com |
| **Contact Number** | Tel: +34 922 650 131 - Fax: +34 822 201 271 |

The above company having been assessed hereby receives approval in accordance with the requirements of Lloyd's Register Procedures for Approval of Service Suppliers as Supplier from the address(es) listed above for the provision of

| **Service Of Immersion Suits, Thermal Protective Aids, And Chemical Protective Clothing** |
|---|
| Approved technicians: Carlos Noda Canale, Daniel Brito Peña, Michele Costabile, Rodolfo Noda León, Rodolfo Noda Zapata, Yeray Gil Arana |

| **Inspections And Maintenance Of Fire-Extinguishing Equipment And Systems** |
|---|
| Approved technicians: Carlos Noda Canale, Yeray Santiago Suárez, César Antonio Escuela Noda, José Luis Llamera Canale, Michele Costabile, Moisés Álvarez Alonso, Nadya Lidiane Souza Faria, Rafael Noda León, Ramón Fdo. Arbelo Noda, Rodolfo Noda León, Rodolfo Noda Zapata, Rosa Canale Llamera, Sancho Herrera Kullberg. |

| **Inspections And Maintenance Of Self-Contained Breathing Apparatus** |
|---|
| Approved technicians: Carlos Noda Canale, Rodolfo Noda Zapata, César Antonio Escuela Noda, Moisés Álvarez Alonso, Lucas Álvarez Izquierdo, José Luis Llamera Canale, Rodolfo Noda León, Santiago Pérez Marrero |

Downloaded Copy

**Beatriz Cabrera**

Surveyor to Lloyd's Register EMEA
A member of the Lloyd's Register group

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Certificate No: LR26135494AS
Issue Date: 14/02/2026
Expiry Date: 13/02/2029

# Lloyd's Register Approved Service Supplier

| Inspections Of Low Location Lighting Systems Using Photo Luminescent Materials And Evacuation Guidance Systems Used As An Alternative To Low-Location Lighting Systems |
|---|
| Approved technicians: Carlos Noda Canale, Nadya Lidiane Sousa Faria, Sancho Herrera Kullberg, César Escuela Noda, José Luis Llamera Canale, Unai Escuela Sánchez, Francisco Javier Berzal Perdices, Yeray Santiago Suarez, Kevin Jesús López Montesdeoca, José Ángel Rodríguez Hernández |

| Hydraulic Tests Of Low And High Pressure Cylinders |
|---|
| Approved technicians: Carlos Noda Canale, Yeray Santiago Suárez, César Antonio Escuela Noda, José Luis Llamera Canale, Michele Costabile, Moisés Álvarez Alonso, Nadya Lidiane Souza Faria, Rafael Noda León, Ramón Fdo. Arbelo Noda, Rodolfo Noda León, Rodolfo Noda Zapata, Rosa Canale Llamera, Sancho Herrera Kullberg. |

| Servicing Of Inflatable Liferafts, Inflatable Lifejackets, Hydrostatic Release Units, Marine Evacuation Systems |
|---|
| Approved technicians for liferafts (Valid approval certificate from Makers to be provided): Angelica Noda Zapata, Carlos Noda Canale, Cesar Escuela Noda, Daniel Brito Peña, Joel López de la Cruz, Kevin Jesús López Montesdeoca, Michele Costabile, Moisés Álvarez Alonso, Rodolfo Noda León, Rodolfo Noda Zapata, Rosa Canale Llamera, Santiago Pérez Marrero, Saymo Airan García González, Yeray Gil Arana.<br><br>Liferafts and Marine Evacuation Systems authorizations:<br>- BALSAMAR SERVICES 2000 S.L.<br>ALMAR - ModeloALIVE<br>NEPTUNO - ModeloALIVE-YT<br>- ARIMAR - LEISURE LIFERAFTS / PROFESSIONAL LIFERAFTS<br>- CRV Inflatable Liferafts:<br>- SURVITEC:<br>SURVITEC DSB LR 05; SURVITECDSB LR 05 L; SURVITEC DSB LR 07; SURVITEC DSB LR 07 L; SURVITEC DSB LR 97; SURVITECDSB LR 97 L; SURVITEC DSB LR 97 L SR; SURVITEC DSB LR 97 SR; SURVITEC DSB LR 86;SURVITEC DSB LR 86 L; SURVITEC DSB LR 86 R; SURVITEC DSB LR 97 MOR; SURVITEC DSBLR 97 R. Survitec Eurovinil EV M10 DL; Survitec Eurovinil EV M10 TO; SurvitecEurovinil EV SoLaS Silver (M10) TO; Survitec Eurovinil EV SoLaS Silver SeriesTO; Survitec Eurovinil SoLaS CE DL; Survitec Eurovinil SoLaS CE Self/rightingDL; Survitec Eurovinil SoLaS CE Self/Righting TO; Survitec Eurovinil SoLaS CETO; Survitec |

Downloaded copy



Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Certificate No: LR26135494AS
Issue Date: 14/02/2026
Expiry Date: 13/02/2029

# Lloyd's Register Approved Service Supplier

| Servicing Of Inflatable Liferafts, Inflatable Lifejackets, Hydrostatic Release Units, Marine Evacuation Systems |
|---|
| Eurovinil SoLaS IMO Decagonal DL; Survitec Eurovinil SoLaS IMODecagonal TO; Survitec Eurovinil SoLaS IMO Rectangular TO; Survitec EurovinilSoLaS MED Flat-pack<br>Survitec RFD Surviva ('Mk I') DL; Survitec RFD Surviva ('MkI') TO; Survitec RFD Surviva DL SRL ('Mk1'); Survitec RFD Surviva Mk II; SurvitecRFD Surviva Mk III DL; Survitec RFD Surviva Mk III TO; Survitec RFD Surviva MkIV DL; Survitec RFD Surviva Mk DL-2 year first service; Survitec RFD Surviva MkIV TO; Survitec RFD Surviva Mk IV TO-2 year first service; Survitec RFD SurvivaR (SR) DL; Survitec RFD Surviva R (SR) TO; Survitec RFD Ferryman (Single Raft);Survitec RFD Ferryman (Single Raft) HSC; Survitec RFD Surviva Reversible(Single raft); Survitec RFD Ferryman (Twin Raft); Survitec RFD Ferryman (TwinRaft) HSC<br>Survitec Crewsaver UK - CREWSAVER ISO 9650-1 (GLR); SurvitecCrewsaver UK - CREWSAVER ISO 9650-2 (GLR); Survitec Crewsaver UK ISO Ocean(GLR); Survitec Crewsaver UK ISO Ocean Spain (GLR); Survitec Crewsaver UK ISOTYPE 1(EV); Survitec Crewsaver UK ISO TYPE 2 (EV); Survitec Crewsaver UKMariner (EV); Survitec DSB ISO (GLR); Survitec Eurovinil Coastal (EV); SurvitecEurovinil ISO 9650-1; Survitec Eurovinil EV ISO 9650-1 (DM219); SurvitecEurovinil EV ISO 9650-2; Survitec Eurovinil EV ISO9650 (GLR); Survitec EurovinilISO9650 (Spain); Survitec Eurovinil ST-Greek; Survitec Eurovinil ST-INTL; SurvitecEurovinil ST-ITA DM77; Survitec RFD RFD Seasave Pro (EV); Survitec RFD SeasavaPRO-ISO (GLR 1YR); Survitec RFD Seasava Pro-ISO (GLR); Survitec RFDSeasava-PRO-ISO (GLR) (B PACK)<br>SurvitecZodiac DL, SurvitecZodiac DL - 2 year First service;<br>SurvitecZodiac DL SR, SurvitecZodiac MK IV DL, SurvitecZodiacMK IV TO, SurvitecZodiac MoR, SurvitecZodiac ORIL, SurvitecZodiac ORIL-HSC,SurvitecZodiac TO, SurvitecZodiac TO - 2 year first service, SurvitecZodiac TOSR, SuvitecZodiac TO SR - 2 year first service SurvitecZodiac XTREM,SurvitecZodiac Xtrem PB TO, SuvitecZodiac EPS<br>- SAFINDO Liferafts SLR-A, SLR-D, SLR-K<br>- SEAGO: Seago Offshore G, ISO 9650-1 & ISO 9650-2 Rafts<br>- SEAMAN SAFETY: SEAWOLF liferafts ECE-T 6, 8, 10, 12, 15,16, 20, 25, 30, 35; ECE-R 10, 15, 25, 30, 50, 65, 100, 150; SDF-D 12, 15, 16,20, 25; ASR 50, 66, 100<br>- SHANGHAI YOULONG RUBBER PRODUCTS<br>KHA-6/8/10/12/15/16/20/25/30/35<br>KHZ-6/10/15/20/25/30/35/50/65/100/110/125/130<br>KHA-6/8/10/12/15/16/20/25/30/25/(II)<br>KHD-12/15/16/20/25/30/35; KHZD-15/16/20/25/30/35/37<br>KHR-6/10/25/30/50/65/100; KHK-6/10/25/30/50/65/100/152<br>KHY-4/6/8/10/12; KHYJ-4/6/8/10: KHY(SR)-4/6/8/10/12<br>- HAINING Inflatable Liferafts: Less than 65 persons(including 65 persons) Except the liferaft equipped |

Document Copy

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Certificate No: LR26135494AS
Issue Date: 14/02/2026
Expiry Date: 13/02/2029

# Lloyd's Register Approved Service Supplier

| Servicing Of Inflatable Liferafts, Inflatable Lifejackets, Hydrostatic Release Units, Marine Evacuation Systems |
|---|
| with the marine evacuationsystem:<br>HNF-A6/8/10/12/15/16/20/25/30<br>HNF-CR25/30/35/40/45/50/65<br>HNF-D15/20/25<br>HNF-DSR12/15/16/20/25/37<br>HNF-FJ50/55<br>HNF-HSC6/8/10/15/25/50/65<br>HNF-SR6/8/10/12/15/16/20/25/30/35/37/50/65<br>- LALIZASRECREATIONAL & LALIZAS COMMERCIAL<br>- LSA LIFERAFT SYSTEMS AUSTRALIA<br>Liferaft type 50P SRL, 100P Mk1 & 100P SRL<br>Evacuation Slide types 9m-22m<br>- OCEAN SAFETY<br>Ocean ISO & ISO Ultralite Liferaft, Ocean ISO Charter2.0, Ocean ISO Regatta, Ocean Standards(ORC) Liferafts, Ocean SOLAS ORL Liferafts<br>- PLASTIMO liferafts<br>- VIKING<br>VIKING Direct Boarding Standard - incl. liferfats up to 150persons<br>Viking MiniSlide without landing, non-SOLAS<br>Viking MiniSlide with landing, non-SOLAS<br>VEMS-VIKING Evacuation Mini Slide incl. liferaft<br>VELS-SMS-VIKING Evacuation System incl. liferaft<br>Direct Boarding SBS - incl. liferafts up to 150 persons<br>VEC-VIKING Evacuation Chute incl. liferaft<br>VEMC-VIKING Evacuation Mini Chute incl. liferaft<br>Incl. all additional liferaft to MES system<br>VIKING DK+, DKS, DKR, IBA S30 up to 65 persons<br>MOR (Means of Rescue) S30<br>DKF, DKF+, DKFS, DKFS+ S30 up to 39 persons<br>VIKING KF, UK, CL, UKL, UKSL, UKCL liferafts: All sizes<br>K, DK, DK+, DKS non-system liferafts: Up to 50 persons<br>DKR/IBA/RDV liferafts without remove release system: Up to75 persons. |

Downloaded Copy

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Certificate No: LR26135494AS
Issue Date: 14/02/2026
Expiry Date: 13/02/2029

# Lloyd's Register Approved Service Supplier

| Servicing Of Inflatable Liferafts, Inflatable Lifejackets, Hydrostatic Release Units, Marine Evacuation Systems |
|---|
| Approved technicians for lifejackets: CarlosNoda Canale, Daniel Brito Peña, Michele Costabile, Rodolfo Noda León, RodolfoNoda Zapata, Yeray Gil Arana |

| Surveys, Servicing And Testing Of Lifting Appliances |
|---|
| Approved technicians: Carolina Calero del Rio, EulalioGonzález León, Sancho Herrera Kullberg, Carlos Noda Canale, Francisco Berzal Perdices, Gregorio Melián Quevedo, José Luis Llamera Canale, Cesar Escuela Noda, Daniel Quesada Roque, Jonathan García Darias, José Ángel Rodríguez Hernández, Kevin Jesús López Montesdeoca, Moisés Álvarez Alonso, Yeray Santiago Suárez<br>Approved for lifting appliances load test and approved by Unique Seaflex Product for examination, service and repair. |

This approval is conditional upon the Supplier maintaining the documented scheme as audited by any member of the Lloyd's Register Group and hereby approved; and notifying Lloyd's Register in writing of any change to that scheme including any change in personnel, equipment or procedures. This certificate is issued to the Supplier and, subject to the Supplier complying with the necessary conditions, is valid to the date referred to above.

Downloaded Copy

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.